

Brochure

Vickers® by Danfoss Hydraulics - Used in Civil Engineering



Movable Bridges

Canal Locks

Dams

Hydropower


Vane products			<ul style="list-style-type: none"> • V, VQ and VQH Series • VMQ 	<ul style="list-style-type: none"> • VMQ • V20
Piston products	<ul style="list-style-type: none"> • PVM • Hydrokraft • ME Motors 25 M 	<ul style="list-style-type: none"> • PVM 	<ul style="list-style-type: none"> • PVM 	<ul style="list-style-type: none"> • PVM
Packaged systems	<ul style="list-style-type: none"> • HPU • Manifolds • Systems 	<ul style="list-style-type: none"> • HPU • Systems 	<ul style="list-style-type: none"> • HPU • Systems 	<ul style="list-style-type: none"> • HPU • Manifolds • Systems
Cylinders	<ul style="list-style-type: none"> • Hydrowa • ABC-G2/P1/P2 • HYPOS II 	<ul style="list-style-type: none"> • Hydrowa • ABC-G2/P1 • HYPOS II 	<ul style="list-style-type: none"> • Hydrowa • ABC-G2/P1/P2 • HYPOS II 	<ul style="list-style-type: none"> • Vickers by Danfoss VG • Hydro-Line HG
Directional valves	<ul style="list-style-type: none"> • DG4V-3/5 • DG5V-5/7/8/10 	<ul style="list-style-type: none"> • DG4V-3/5 • DG5V-5/7/8/10 	<ul style="list-style-type: none"> • DG4V-3/5 • DG5V-5/7/8/10 	<ul style="list-style-type: none"> • DG4V-3/5 • DG5V-5/7/8/10
Proportional valves	<ul style="list-style-type: none"> • K(B)DG • K(B)F • K(B)CG 	<ul style="list-style-type: none"> • K(B)DG • K(B)F • K(B)CG 	<ul style="list-style-type: none"> • K(B)DG • K(B)F • K(B)CG 	<ul style="list-style-type: none"> • K(B)DG • K(B)F • K(B)H • K(B)CG
Slip-in cartridge valves	<ul style="list-style-type: none"> • CVCS / CVI • CVU-EFP1 • Valvistor 	<ul style="list-style-type: none"> • CVCS / CVI • CVU-EFP1 • Valvistor 	<ul style="list-style-type: none"> • CVCS / CVI • CVU-EFP1 • Valvistor 	<ul style="list-style-type: none"> • CVCS / CVI • CVU-EFP1 • Valvistor
Stack valve	<ul style="list-style-type: none"> • DGMDC • DGMFN • DGMC • DGMPC • DGMX 	<ul style="list-style-type: none"> • DGMDC • DGMFN • DGMC • DGMPC • DGMX 	<ul style="list-style-type: none"> • DGMDC • DGMFN • DGMC • DGMPC • DGMX 	<ul style="list-style-type: none"> • DGMDC • DGMPC • DGMFN • DGMX • DGMC
Fluid conveyance	<ul style="list-style-type: none"> • Braided and Spiral Hose • Danfoss Fluid Conveyance Connectors 	<ul style="list-style-type: none"> • Braided and Spiral Hose • Danfoss Fluid Conveyance Connectors 	<ul style="list-style-type: none"> • Braided and Spiral Hose • Danfoss Fluid Conveyance Connectors 	<ul style="list-style-type: none"> • Braided and Spiral Hose • Danfoss Fluid Conveyance Connectors

System Solutions - Hydropower

Turbine-Generator hydraulic systems

In hydropower plants, industrial hydraulic technology ensures safe, reliable, and productive turbine-generator operation. Power units, manifolds, valves, cylinders, and accessories are used in bearing lube systems to keep friction between moving parts to a minimum; in turbine governor systems to regulate the flow of water to the turbines via the wicket gates; and in Kaplan turbine installations to optimize the turbine blade pitch for maximum operational efficiency.

Whatever the project conditions and requirements, Danfoss' hydraulics capabilities provide civil engineering solutions.




System Solutions - Canal Locks

Hydraulic systems at a navigation locks

Navigation locks can be constructed in a variety of shapes, sizes, and configurations. Nearly all arrangements are optimized using industrial hydraulics. Power units, manifolds, valves, and cylinders open and close Tainter gates, Tainter valves, culvert valves, miter gates, vertical lift gates, rising stem valves, and raising/lowering ship arresters.

Whatever the project conditions and requirements, Danfoss' hydraulics capabilities provide civil engineering solutions.




System Solutions - Movable Bridges

Hydraulic systems at a movable bridge

Movable bridges have been around for centuries. The machinery to make them operate has taken many forms. One of the best solutions today is to employ industrial hydraulic systems. Hydraulic power units, manifolds, cylinders, valves, and motors are used to raise/lower spans, ensure spans are locked for safe traffic passage, and to operate the bridge in unusual or emergency situations.

Whatever the project conditions and requirements, Danfoss' hydraulics capabilities provide civil engineering solutions.





System Solutions - Dams

Hydraulic systems at a dam

Reliability and durability are fundamental necessities for machinery at a dam. Because these traits are two of its key features, hydraulic equipment is a popular choice. Industrial hydraulic systems including power units, manifolds, valves, and cylinders that control the flow of water by opening and closing intake gates, flood gates, outlet gates, and emergency gates; maintain minimum required water levels for power generation or navigation by operating Tainter gates and vertical lift gates; and facilitate specialized functions such as maintenance by operating auxiliary equipment.

Whatever the project conditions and requirements, Danfoss' hydraulics capabilities provide civil engineering solutions.





Danfoss Power Solutions, Nordborgvej 81, 6430 Nordborg, Denmark, Tel. +45 74 88 22 22, Fax +45 74 65 25 80
www.danfoss.com, E-mail: info@danfoss.com

Any information, including, but not limited to information on selection of product, its application or use, product design, weight, dimensions, capacity or any other technical data in product manuals, catalogues descriptions, advertisements, etc. and whether made available in writing, orally, electronically, online or via download, shall be considered informative, and is only binding if and to the extent, explicit reference is made in a quotation or order confirmation. Danfoss cannot accept any responsibility for possible errors in catalogues, brochures, videos and other material. Danfoss reserves the right to alter its products without notice. This also applies to products ordered but not delivered provided that such alterations can be made without changes to form, fit or function of the product. All trademarks in this material are property of Danfoss A/S or Danfoss group companies. Danfoss and the Danfoss logo are trademarks of Danfoss A/S. All rights reserved.