

ENGINEERING
TOMORROW

Danfoss


NovoCon® | Digital actuator for HVAC

Smarten up and **add value** to your buildings while **lowering your investment** and **annual costs**

Meet NovoCon®, the digital actuator that connects Building Management Systems with hydronic HVAC systems, enabling Internet of Things solutions.

30%

average energy
savings potential by
optimising technical
building systems



novocon.com

A digital actuator that brings **brand new advantages and opportunities**

Heating or cooling your building mostly involves a Building Management System (BMS) and a hydronic balancing and control solution of the Terminal Units. Danfoss NovoCon® is the first digital HVAC actuator to connect these into a fully integrated, automated solution. It enables a wide range of smart Internet of Things (IoT) possibilities, simplifies the system, and saves cost.

NovoCon® communicates with the BMS system via a digital (BACnet or Modbus) bus communication protocol and exchanges technical HVAC data. This provides your technical consultant or system integrator with a brand-new level of flexibility and opportunities. By using NovoCon®, they can add value to your building, put your sustainability ambitions into practice, and achieve significant cost reductions for you.

Combined with the associated Pressure Independent Balancing and Control Valve (PIBCV) type AB-QM, the foundation for highly energy-efficient buildings is established. As a result, the hydronic aspects of HVAC control are fully integrated with the BMS system. This provides a completely automated and controlled process for controlling, monitoring, optimising, and maintaining heating or cooling in your building.

Best of all, this is all done remotely, via the bus communication. This allows you to save time and solve installation and operation errors quickly and effectively.





Add value throughout the life cycle of your building

NovoCon® continuously adds value to your building. Not only during the design, installation, and commissioning phases. But also during ongoing everyday use, monitoring, management, and maintenance once your building is occupied.

It might even be you can benefit from new features in future. Any new software release can be uploaded to all actuators at the same time via the bus communication, upgrading and expanding the possibilities in your system with the click of a mouse.

The result: an optimised, efficient, and easy to adapt indoor climate.

With NovoCon®, your building simply becomes smarter while lowering your Total Cost of Ownership (TCO).

Six reasons to **choose NovoCon®**

1

Establishes the foundation; an **energy-efficient** HVAC system

NovoCon® is specially designed for use with the pressure independent AB-QM valve. This automatically creates a dynamic hydronic balance in the system, an important prerequisite for energy-efficient buildings. Besides that these valves prevent the need for other, manual balancing valves and the costs for installing, commissioning and maintaining these often difficult to access HVAC components.



2

Cost savings throughout the life cycle of the building

Cutting-edge features and BMS connectivity help you save money when purchasing BMS components, reduce your maintenance costs, and can optimise the energy efficiency.

3

Flexibility when refurbishing the building

NovoCon® enables a flexible layout in your building. This increases the attractiveness for potential tenants or buyers. During refurbishment of areas, the HVAC system can easily be adapted accordingly without physical adjustments to the BMS components.



4

Time savings

during installation,
commissioning,
and daily use

NovoCon® uses plug-and-play connectors making it hassle-free and quick to install. The connections with the BMS enables remote control and continuous commissioning of the system. From any place, at any time.



Plug-and-play
connectors

5

Advanced temperature control

Via the BMS, the indoor climate can be controlled accurately and individually. Normally, the temperature is set per room. However, smart building functionality also allows the temperature control to follow every person no matter room or location e.g. via an App installed on their smartphone. This adds a whole new level of personal comfort, increases the productivity, and reduces health and motivation issues in the work environment.

6

Targeted and **predictive** maintenance

Thanks to system data collected by NovoCon®, it is possible for the BMS to precisely locate an issue, or where an issue is likely to occur. This allows you to effectively solve issues and even schedule for preventive maintenance when building occupants are less affected by this.





Expand your options with **NovoCon® Remote I/O**

This solution is as simple as brilliant. A standardised cable enables access to all four available analogue inputs and outputs on the NovoCon®. It offers system integrators a wide range of possibilities to engineer a building customised solution, for example by connecting temperature sensors, fans, presence detection or open window contacts. Utilising Remote I/O reduces the number of required BMS components.


One of the options to use NovoCon® Remote I/O is to intelligently control the fan speed of fan coil units.

The energy saving can be significant due to the many fans and their high electricity consumption. Occupants benefit from the improved indoor climate by the fully automated control.

Data logging and analysis with **NovoCon® Energy**

During normal operation several technical parameters are periodically stored in the BMS via NovoCon®. This data provides highly valuable insights about the operation of the system. By analysing the data and adapting certain settings, a further reduction of the energy consumption is often possible.

To further improve the analysis, NovoCon® Energy can be used. This is a set of two temperature sensors connected to the supply and return pipes of e.g. a Terminal Unit. By measuring these temperatures and using available data regarding the actual flow through the unit, an estimate of the actual energy consumption can be calculated and used for the analysis.



Invest now in the future of **your smart buildings**

At Danfoss, we have the ambition to achieve the highest possible efficiency in every building. And we want to do that together with you, your technical consultant, system integrator, and the occupants of your building.

The possibilities NovoCon® offers are very innovative and highly distinctive. Despite this, we continue to work on expanding the potential of this digital HVAC actuator. With each new software release to come, there will be even more opportunities to make your building more comfortable and increase the rentability at lower costs.

Do you want to find out more about how NovoCon® can add value to you and your building? Contact your technical consultant or the system integrator of your BMS now. They are happy to advise you on how to get the most out of your building with NovoCon®.

For more information, contact your Danfoss
Account Manager or visit **novocon.com**

Danfoss Limited · Heating Segment · Ampthill Road · Bedford · MK42 9ER · United Kingdom
Tel: +44 1234 364621 · Email: ukheating@danfoss.com · www.heating.danfoss.co.uk

Danfoss can accept no responsibility for possible errors in catalogues, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without subsequent changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.