

ENGINEERING  
TOMORROW

*Danfoss*

Danfoss high-pressure pumps -  
**cleaner mist** for faster  
production of **quality lumber**

**Zero Oil**

no contamination  
and easy  
maintenance

[hpp.danfoss.com](http://hpp.danfoss.com)

**High pressure**, combined with **small nozzle apertures**, produces **excellent atomization** of clean water – perfect for lumber drying



- Available for operation with tap water or technical water.
- Oil free operation
- Long service intervals
- Compact size



- Corrosion resistant
- Easy-to-clean
- High temperature-resistant
- Dirt tolerant
- Reliable
- Coil enclosure IP 67



- Suitable for ordinary tap water
- Excellent spray pattern
- Long service life
- Stainless steel AISI 316/430

### High-pressure pumps

Pump types	Media	Outlet pressure	1500 rpm at max. pressure	Media temperature
PAH 2 - 12.5	Tap water	30 - 160 barg	2 - 17.2 l/min	2 - 50 °C
PAHT 2 - 12.5	Technical water	30 - 140 barg	1.7 - 16.5 l/min	2 - 50 °C

### Solenoid valves

Valve type	Q nom.	p max.	T max.	Comments
VDHT 30 E (NO or NC)	30 l/min	160 barg	90 °C	Coils ordered separately
Block Solution 2, 3 or 4	30 l/min	160 barg	90 °C	3.5 barg

### Nozzles

Nozzle type	Flow	Operating/max. pressure	Spray angle	Nozzle thread
Water mist nozzle	0.42 - 1.25 l/min	100 / 130 barg	60°	M13 x 1 mm

## JARTEK

"Among all high pressure pumps, Danfoss HPP is in a class of its own. For the lumber drying process, the quality of our own products highly depends on precise humidity control. The Danfoss pump lets us achieve this high quality, while also providing an attractive service life and headache-free maintenance schedule."

*Asko Sipari, Jartek Invest Oy*



"High pressure water mist is essential in lumber drying, I can't see how it could work properly without it. Danfoss pump is a heart of the system."

*Timo Myllyaho, CEO Passimo Oy*

**Danfoss A/S, High Pressure Pumps, DK-6430 Nordborg, Denmark, [www.hpp.danfoss.com](http://www.hpp.danfoss.com)**

Danfoss can accept no responsibility for possible errors in catalogues, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without consequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.