



Danfoss A/S

DK 6430 Nordborg
Dania
CVR nr.: 20 16 57 15

Telefon: +45 7488 22 22
Fax: +45 7449 0949

Tłumaczenie deklaracji zgodności

Danfoss A/S Refrigeration & Air Conditioning Controls

Deklaruje z pełną odpowiedzialnością, że presostaty, termostaty, presostaty różnicowe oraz termostaty różnicowe typu:

KP5, KP5A, KP11, KP15, KP15A, KP21, KP25, KP33, KP34, KP35, KP36, KP37, KP44, KPR1, KPR5, KPU1, KPU1B, KPU2, KPU5, KPU5B, KPU15, KPU15B, KPS31, KPS33, KPS35, KPS37, KPS39, KPS43, KPS45, KPS47, CAS133, CAS136, CAS137, CAS139, CAS143, CAS147, MBC5000, MBC5100, CS, KPI35, KPI36, KPI38, RT1, RT1A, RT1AL, RT5, RT5A, RT5AL, RT110, RT110L, RT112, RT113, RT116, RT117, RT117L, RT121, RT122, RT200, RT200L, KP61, KP62, KP63, KP68, KP69, KP71, KP73, KP75, KP76, KP77, KP78, KP79, KP81, KP85, KP98, KPU61, KPU61B, KPU62, KPU63, KPU68, KPU69, KPU71, KPU71B, KPU73, KPU73B, KPU74, KPU74B, KPU75, KPU77, KPS76, KPS77, KPS79, KPS80, KPS81, KPS83, CAS178, CAS179, CAS180, CAS181, CAS1080, MBC8000, MBC8100, RT2, RT3, RT4, RT7, RT8, RT8L, RT9, RT10, RT11, RT12, RT13, RT14, RT14L, RT15, RT16L, RT17, RT23, RT24, RT26, RT34, RT101, RT101L, RT102, RT103, RT106, RT107, RT108, RT115, RT120, RT123, RT124, RT140, RT140L, RT141, MP54, MP55, MP55A, CAS155, MBC5080, MBC5180, RT260A, RT200AL, RT260AL, RT262A, RT262AL, RT263AL, RT265A, RT266AL, RT270, RT271, RT280A, RT281A, RT270, RT271

do których ta deklaracja się odnosi, są zgodne z poniższymi normami i dyrektywami, pod warunkiem stosowania ich zgodnie z naszymi instrukcjami.

Dyrektywa niskonapięciowa 2014/35/EU

EN60947-1:2007+A2:2014 Aparatura rozdzielcza i sterownicza niskonapięciowa.
Postanowienia ogólne

EN60947-4-1:2010+A1:2012 Aparatura rozdzielcza i sterownicza niskonapięciowa.
Styczniki i rozruszniki. Mechanizmowe styczniki i rozruszniki do silników

EN60947-5-1:2004+A1:2009 Aparatura rozdzielcza i sterownicza niskonapięciowa.
Aparaty i łączniki sterownicze. Elektromechaniczne aparaty sterownicze

Dyrektywa RoHS 2011/65/EU

Danfoss niniejszym potwierdza, że substancje objęte powyższą dyrektywą: ołów, rtęć, kadm, sześciowartościowy chrom, PBB i PBDE nie są rozmyślnie używane poza ograniczeniami określonymi w dyrektywach.

Data: 2016.04.20	Przygotowano przez: Piotr Chylaszek Engineering Manager (-)	Data: 2016.04.20	Zatwierdzono przez: Sławomir Kozubowski, RD & E Manager (-)
------------------	---	------------------	---

Podstawą do wydania niniejszego tłumaczenia jest angielskojęzyczny oryginał deklaracji (EC/EU Declaration of conformity nr 060-9650 rev. AA) wydany przez Danfoss A/S. Niniejsze tłumaczenie ma charakter jedynie pomocniczy.



Danfoss A/S

DK-6430 Nordborg
Denmark
CVR nr.: 20 16 57 15

Telephone: +45 7488 2222
Fax: +45 7449 0949

EC/EU DECLARATION OF CONFORMITY
Danfoss A/S
Refrigeration & Air Conditioning Controls

declares under our sole responsibility that the products:

Pressure and Temperature Switches, Differential Pressure and Differential Temperature Switches

Types:

KP5, KP5A, KP11, KP15, KP15A, KP21, KP25, KP33, KP34, KP35, KP36, KP37, KP44, KPR1, KPR5, KPU1, KPU1B, KPU2, KPU5, KPU5B, KPU15, KPU15B, KPS31, KPS33, KPS35, KPS37, KPS39, KPS43, KPS45, KPS47, CAS133, CAS136, CAS137, CAS139, CAS143, CAS147, MBC5000, MBC5100, CS, KPI35, KPI36, KPI38, RT1, RT1A, RT1AL, RT5, RT5A, RT5AL, RT110, RT110L, RT112, RT113, RT116, RT117, RT117L, RT121, RT122, RT200, RT200L
KP61, KP62, KP63, KP68, KP69, KP71, KP73, KP75, KP76, KP77, KP78, KP79, KP81, KP85, KP98, KPU61, KPU61B, KPU62, KPU63, KPU68, KPU69, KPU71, KPU71B, KPU73, KPU73B, KPU74, KPU74B, KPU75, KPU77, KPS76, KPS77, KPS79, KPS80, KPS81, KPS83, CAS178, CAS179, CAS180, CAS181, CAS1080, MBC8000, MBC8100, RT2, RT3, RT4, RT7, RT8, RT8L, RT9, RT10, RT11, RT12, RT13, RT14, RT14L, RT15, RT16L, RT17, RT23, RT24, RT26, RT34, RT101, RT101L, RT102, RT103, RT106, RT107, RT108, RT115, RT120, RT123, RT124, RT140, RT140L, RT141
MP54, MP55, MP55A, CAS155, MBC5080, MBC5180, RT260A, RT200AL, RT260AL, RT262A, RT262AL, RT263AL, RT265A, RT266AL, RT270, RT271, RT280A, RT281A, RT270, RT271

Covered by this declaration are in conformity with following directives, standards or other normative documents, provided that the products are used in accordance with our instructions.

Low Voltage Directive 2014/35/EU

EN 60947-1:2007 +A2:2014 Specification for low-voltage switchgear and controlgear, General rules
EN 60947-4-1:2010 +A1:2012 Low-voltage switchgear and controlgear, Contactors and motor-starters. Electromechanical contactors and motor starters
EN 60947-5-1:2004 +A1:2009 Specification for low-voltage switchgear and controlgear, Control circuit devices and switching elements. Electromechanical control circuit devices

RoHS Directive 2011/65/EU

Danfoss hereby confirms that substances regulated by above directive: lead, mercury, cadmium, hexavalent chromium, PBB & PBDE are not deliberately used above limits specified in this directive

Date 2016.04.20	Issued by Piotr Chylaszek Engineering Manager	Date 2016.04.20	Approved by Slawomir Kozubowski RD & E Manager
--------------------	---	--------------------	--

Danfoss only vouches for the correctness of the English version of this declaration. In the event of the declaration being translated into any other language, the translator concerned shall be liable for the correctness of the translation



Danfoss A/S

DK 6430 Nordborg
Dania
CVR nr.: 20 16 57 15

Telefon: +45 7488 22 22
Fax: +45 7449 0949

Tłumaczenie deklaracji zgodności

Danfoss A/S Refrigeration & Air Conditioning Controls

Deklaruje z pełną odpowiedzialnością, że presostaty typu:

**BCP1, BCP1H, BCP2, BCP2H, BCP2L, BCP3, BCP3H, BCP3L, BCP4, BCP4H, BCP4L,
BCP5, BCP5H, BCP6, BCP6H, BCP6L, BCP7, BCP7H**

do których ta deklaracja się odnosi, są zgodne z poniższymi normami i dyrektywami, pod warunkiem stosowania ich zgodnie z naszymi instrukcjami.

Dyrektywa ciśnieniowa 97/23/EC (do 2016.07.18) i dyrektywa 2014/68/EU (od 2016.07.19)

Kategoria sprzętu: IV

EN12952-11:2007 Kotły wodnorurowe i urządzenia pomocnicze - Część 11:
Wymagania dla ograniczników kotła i osprzętu

EN12953-9:2007 Kotły płomienicowo-płomieniówkowe - Część 9: Wymagania dla ograniczników kotła i osprzętu
Moduły oceny zgodności: B () + D, (cert. TUV: 01 202 931-B-06 0012-03 + 01 202PL/Q-11 0004)

Jednostka certyfikująca: TÜV Rheinland (nr 0035)

Dyrektywa RoHS 2011/65/EU

Danfoss niniejszym potwierdza, że substancje objęte powyższą dyrektywą: ołów, rtęć, kadm, chrom sześciowartościowy, PBB i PBDE nie są rozmyślnie używane poza ograniczeniami określonymi w dyrektywach.

Dyrektywa niskonapięciowa 2014/35/EU

EN 60947-1:2007+A2:2014 Aparatura rozdzielcza i sterownicza niskonapięciowa. Postanowienia ogólne.

EN 60947-4-1:2010+A1:2012 Aparatura rozdzielcza i sterownicza niskonapięciowa. Styczniki i rozruszniki.
Mechanizmowe styczniki i rozruszniki do silników.

EN60947-5-1:2004+A1:2009 Aparatura rozdzielcza i sterownicza niskonapięciowa. Aparaty i łączniki sterownicze. Elektromechaniczne aparaty sterownicze.

Dyrektywa zgodności elektromagnetycznej 2014/30/EU

EN 61000-6-2:2005 Kompatybilność elektromagnetyczna (EMC) - Część 6-2: Odporność w środowiskach przemysłowych

EN 61000-6-3:2007+A1:2011 Kompatybilność elektromagnetyczna (EMC) - Część 6-3: Normy ogólne - Norma emisji w środowiskach: mieszkalnym, handlowym i lekko uprzemysłowionym

Data: 2016.04.20	Przygotowano przez: Piotr Chylaszek Engineering Manager (-)	Data: 2016.04.20	Zatwierdzono przez: Sławomir Kozubowski, RD & E Manager (-)
------------------	---	------------------	---

Podstawą do wydania niniejszego tłumaczenia jest angielskojęzyczny oryginał deklaracji (EC/EU Declaration of conformity nr 060-9652 rev. AA) wydany przez Danfoss A/S. Niniejsze tłumaczenie ma charakter jedynie pomocniczy.



Danfoss A/S

DK-6430 Nordborg
Denmark
CVR nr.: 20 16 57 15

Telephone: +45 7488 2222
Fax: +45 7449 0949

EC/EU DECLARATION OF CONFORMITY
Danfoss A/S
Refrigeration & Air Conditioning Controls

declares under our sole responsibility that the products

Pressure Switches

Types: BCP1, BCP1H, BCP2, BCP2H, BCP2L, BCP3, BCP3H, BCP3L, BCP4, BCP4H, BCP4L, BCP5, BCP5H, BCP6, BCP6H, BCP6L, BCP7, BCP7H

Covered by this declaration are in conformity with the following directives, standards or other normative documents, provided that the product is used in accordance with our instructions.

Pressure Equipment Directive 97/23/EC (until 2016.07.18) and **Pressure Equipment Directive 2014/68/EU** (from 2018.07.19)

Equipment cat:IV

EN12952-11-2007 Water-tube boilers and auxiliary installations – Part 11;

Requirements for limiting devices of boilers and accessories

EN12953-9:2007 Shell boilers – Part 9; Requirements for limiting devices of the boiler and accessories

Conformity assessment module B (production type) + module D, (TÜV certificates: 01 202 931-B-06 0012-03 + 01 202PL/Q-11 0004)

Notified Body: TÜV Rheinland (No. : 0035)

RoHS Directive 2011/65/EU

Danfoss hereby confirms that substances regulated by above directive: lead, mercury, cadmium, hexavalent chromium, PBB & PBDE are not deliberately used above limits specified in this directive

Low Voltage Directive 2014/35/EU

EN 60947-1:2007+A2:2014 Specification for low-voltage switchgear and controlgear, General rules

EN 60947-4-1:2010 +A1:2012 Low-voltage switchgear and controlgear, Contactors and motor-starters.

Electromechanical contactors and motor starters

EN 60947-5-1:2004+A1:2009 Specification for low-voltage switchgear and controlgear, Control circuit devices and switching elements. Electromechanical control circuit devices

Electromagnetic Compatibility Directive 2014/30/EU

EN 61000-6-2:2005 Electromagnetic compatibility (EMC) – Part 6-2: Immunity for industrial environments

EN 61000-6-3:2007+ A1:2011 Electromagnetic compatibility (EMC) – Part 6-3: Generic standards; Emission standard for residential, commercial and light-industrial environments

Date 2016.04.20	Issued by  Piotr Chylaszek Engineering Manager	Date 2016.04.20	Approved by  Sławomir Kozubowski RD & E Manager
--------------------	--	--------------------	---

Danfoss only vouches for the correctness of the English version of this declaration. In the event of the declaration being translated into any other language, the translator concerned shall be liable for the correctness of the translation