

ENGINEERING TOMORROW


The One Stop Online Shop

Search and compare 600K products and documentation



Danfoss Product Store

Welcome to the new improved online platform where you can search, compare and order all Danfoss products directly.



Danfoss Product Store explained in 90 seconds



We have made it easy for you

00	

EASY TO BUY

24-hour self-service, 7 days a week, making it easy for you to shop at Danfoss.

\prec

PRODUCT SEARCH

Search and browse the product code or category in a quick and smart way.

E

COMPARE PRODUCTS

Compare products next to each other to make the best choice.



TECHNICAL DOCUMENTATION, SOFTWARE & DRAWINGS

Search for and download technical documentation, drawings and software for Danfoss Products.

E€)	

PRICES & AVAILABILITY

As a Danfoss Direct Customer, you can order, check order status, history and track shipments.




MOBILE FRIENDLY

The Product Store is optimized to mobile, tablet and PC, making it available to you, wherever you are.



Product search

Advanced search and filters on technical specifications making product selection quick and simple.







Technical documentation, software & drawings


Download relevant product information such as documents, specifications, images, software and more.

Danfell Tomorrow		۹ 🚯	<u>а</u> ор н н н	Visuals	Document Category	0 Title	0 Down
	Heating and District Energy Indust / Yalves / Solenoid Valves / 0320	rial Automation High Pressure Pump	15 + Export page	-	Photo	EV2208 15-59 sciencid valve without coil DN32 Brass G 1 1/4 NC	> IMA
L		T, NC, EPDM ppe: IV2208, Function: NC, Connection size [in] nection internal/Extensis Internal, Cyvalae	Contact + Add to comparison list	8	Photo	EV2208 (15-50 series) Servo-operated 2/2-way Solenoid valves	2 186
5	[gal/min]: 20.800, Kv value (m ³ f	© 18.000, Seal Material: EPOM		afuir.	Photo	Industrial Automation family photo	3 186
in 1	Ð			Spare Parts			
Product details Documen	ts Visuals Spare Parts			24	Accessory, Permanent 018F0091 Permanent Magnetic coil	t magnet Used for product: Solenoid valve Tester	- Ad
Gross weight	2.34 kg	EAN	\$702429031528				
Net weight	1.99 kg				Solenoid coil, BJ120C	5	
Actuator		Max. test pressure (bar)	20 ber		Product name: Solenoid coal, Type: B1120CS, Supply voltage [V] AC: 110, Enclosure rating IP: IP30, Coli connection: Junction box, Actuator size: 11.3 mm		+ Ad
	13.5 mm	Max. test pressure [psig]	290 psig				
Actuator size	100 mm	and the present design	eschool .				



Product comparison

Compare products to find the right one among the different variants and versions.





Price & Availability

Only for direct Danfoss customers

Check prices and availability, look up your order history and track your current orders.

Cooling Drives He	eating and District Energy Industrial Automation High Pressure	Shipments			
Cooling Drives He	eating and District Energy Industrial Automation High Pressure	 Expand all 			
Home / My account / Order hi		Code no.	Description	Quantity	Your reference
		10 v 030F6904	OD S nozzle 29030	30	1.495AL 885
> My Account > Stores/customers	Order history	20 v 030F6908	OD S nozzle 29032	100	1.1054.401
> My Profile	1	30 v 030F6918	OD S nozzle 29037	20	-
> Address book Order history	Search	40 v 030F6924	OD S nozzle 29041	20	1,2954L485
> Saved carts	Danfoss order no.	Shipping address:	Decise Drange A-S Varmatakesk Aldaling Taol, Britanian	the U. Rabbing, MR	Denmark
> My Settings	Customer order no.	Expected shipping			
> My Stores		date:	30/08/2019		
> Financial Information	Placed by username	Carrier:	PadNed		
> Sign out	Code number	Tracking ID:	1 00057005800343439147		
	Delivery number	Invoice number:	2290803300		
	Denvery number	Delivery number:	#112840303		



Easy to buy

Only for direct Danfoss customers


Stored baskets, quick order entry and re-ordering previous purchases, making order management easy.

					Saved car	s					
			Quick ord		Search						
er date	Total price	Order status	Code number	Quantity	Code number	ber					
07/2020	USD 654.41	 Shipping 	Code no.	Qty.		To					
			Code no.	Qty.							
					Search	Clear					
			1	Add to cart							
			3	Upload orderlines	Name	User	Creation date				_
			L		- Puliput Trans	Sales Agent -	21/07/2020 11:37 AM CEST	> Add	> Export cart	0	>
- 1	4			CORRECT OF	- Product PC INC TO- Table Prod	Sales Agent -	17/07/2020 12:02 PM CEST	> Add	> Export cart	0	>
			A REAL PROPERTY AND							-	



Mobile Friendly

Designed for an optimized experience on mobile phones, tablets or computers.






Login to the Product Store

Danfoss direct customers can log into the Product Store and manage orders. To do so, you'll need a login.

If you don't have one, you can contact your local Customer Service Center.

> Click here to find your local Customer Service Center






Danfoss Partners

If you're not a Danfoss direct customer, you can order your Danfoss products through our strong partner and distributor network.

> Find your nearest distributor





Danfoss Product Store

Online support

For any questions or necessary support, please contact us using information below.

Danfoss Drives

4401 N Bell School Rd Loves Park, IL 61111 Phone: 1-888-326-3677 Email: Drives.cs.na@danfoss.com

Danfoss Climate Solutions

11655 Crossroads Circle	Phone: 1-888-326-3677
Middle River, MD 21220	Email: Cooling.cs.na@danfoss.com