



Energy optimization of **multi-family buildings**

CO₂ taxes, legionella, high energy costs, or poor comfort – the reasons for energy optimizing your building can be many.

This eBook is your guide to navigating the solutions and possibilities within decarbonizing multi-family buildings – from hydronic balancing heating and domestic hot water systems to exit from fossil fuels.

> START HERE

Introduction / Energy optimization of multi-family buildings

Building blocks for optimization

Energy optimization of buildings is not an 'if', but a 'how'. With rising CO_2 taxes and potential gas exits, renovations and smart solutions are the key to meeting regulations, reducing carbon footprint, and ensuring a high level of comfort.

However, while the goal is clear, the road there might not be.

At Danfoss, we've been crafting the building blocks for a more efficient tomorrow for decades. We understand the challenges. The legislation. And the need for action – within any budget or time frame.

As your knowledgeable partner specialized in efficient heating and cooling solutions, we provide you with the building blocks to simplify the decarbonizing of multi-family buildings—from roof to basement.


Find the optimization blocks for your building >

Together, we're building efficiency. Block by block.


行

Find the optimization blocks for your building

WHAT IS YOUR CHALLENGE?



FIND THE SOLUTION



Solution 1

Hydronic balancing of radiators and underfloor heating

Hydronic balancing is essential for optimizing HVAC systems, ensuring they operate efficiently and reducing energy consumption.


The balancing process adjusts flow rates to real-time demand. This prevents overheating, reduces supply temperature, and minimizes energy use for pumping — all of which contributes to significant energy savings. With rising energy prices, and a global push towards reducing CO_2 emissions, hydronic balancing offers a practical solution to enhance system performance and meet climate goals.

It also addresses common issues, such as noise from high pump settings, improves indoor comfort and ensures the system operates at optimal conditions.

You can optimize hydronic balancing in two ways:

Balancing of radiators

Balancing of hydronic floor heating




New EN ISO 52120 BACS Standard for building efficiency

The optimization of heating, ventilation, and air conditioning (HVAC) systems in buildings requires more than simply improving the efficiency of the equipment (e.g., heat pumps, boilers, chillers). It is also vital to consider how heating and cooling are distributed from the central generator toward end-use. "Active control of energy usage", provided through building automation and control solutions, is an essential pillar for efficient buildings.

Plus, the updated version of the standard reflects the importance of modulation, dynamic hydronic solutions, and hydronic balancing for the energy efficiency of buildings.

While often overlooked, this is a key element to ensure that energy efficiency measures on the envelope and energy generation deliver in practice what they promise in theory.

Read more here



Balancing of radiators

Optimization projects vary in scope. That's why we've divided the options into different blocks – so you can upgrade the building depending on your needs, budget, and time frame.

Reduce complexity with the **all-in-one digital toolbox**



Did you know?

Upgrading radiator valves and thermostats can result in energy savings ranging from 8% to 46%, depending on the solution you invest in.

Learn more >

f:;)

 $\widehat{\mathbf{M}}$

MEDIUM+ UPGRADE LIGHT UPGRADE MEDIUM UPGRADE Preset existing radiator valves that are Preset existing radiator valves that are Replace the old valves with RA-DV dynamic not already preset – made easy with the not already preset – made easy with the radiator valves. Installer App. Installer App. Install new radiator thermostats. Install new radiator thermostats. Install new radiator thermostats. Upgrade with ASV dynamic balancing Potential energy savings valves on the risers. Potential energy savings Potential energy savings





Connect with us

Webinars

 \sim

Balancing of hydronic floor heating

Optimization projects vary in scope. That's why we've divided the options into different blocks – so you can upgrade the building depending on your needs, budget, and time frame.

Reduce complexity with the **all-in-one digital toolbox**



Did you know?

Choosing the Danfoss Icon2[™] hydronic floor heating solution gives you the advantage of an auto-balanced system, smart home compatibility, and a solution that fits 90% of all applications.

Learn more >

LIGHT UPGRADE

Manually preset the flow in the existing hydronic underfloor heating system – made easy with the Installer App.

Potential energy savings

MEDIUM UPGRADE

Keep the existing manifold but replace the actuators and room thermostats with a main controller and wireless room thermostats, such as Danfoss Icon2[™].

Upgrade with dynamic hydronic balancing in front of the manifold or on the risers.

Potential energy savings

EXTENSIVE UPGRADE

Replace the old unbalanced underfloor heating system, including manifold.

Change the actuators and room thermostats to a main controller and wireless room thermostats, such as Danfoss Icon2™.

Upgrade with dynamic hydronic balancing in front of the manifold or on the risers.

Potential energy savings





Connect with us



20

 \sim

Solution 2

Heating system upgrade to exit fossil fuels

Facing rising energy costs and stricter CO_2 regulations, it's crucial to upgrade heating systems to eliminate fossil fuel dependence. These improvements not only lead to significant cost savings but also make energy use more efficient.


Integrating reliable on-demand domestic hot water (DHW) heating is a key part of this process, ensuring safer water and reducing legionella risks. Plus, in response to the increasing skills shortage, easy-to-install and pre-assembled solutions are essential in terms of reaching the project finish line.

Find your optimization blocks depending on your desired conversion:

Conversion to district energy network from a centralized system based on fossil fuels \rightarrow

Conversion to heat pump from a centralized heating system based on fossil fuels >

Conversion to central heating from individual gas boilers >



Conversion to district energy network from a centralized system based on fossil fuels

and improve end-user comfort.

Optimization projects vary in scope. That's why we've divided the options into different blocks – so you can upgrade the building depending on your needs, budget, and time frame.

Did you know?

Our extensive portfolio of substations and heat transfer solutions covers all needs, from 15 kW apartment units to over 4 MW district stations. The range includes options for indirect heating with one or more circuits and various domestic hot water heating systems, including flow, storage tank, and anti-legionella solutions.

Learn more about stations >

LIGHT UPGRADE	MEDIUM UPGRADE	MEDIUM+ UPGRADE	EXTENSIVE UPGRADE
Replace the old central gas or oil boiler with a district heating substation. Make sure the heating system is balanced. Go to hydronic balancing >	Replace the gas or oil boiler and the old water tank with a district heating substation and a legionella protected water tank. Implement domestic hot water distribution. Go to domestic hot water >	Replace the gas or oil boiler and the old water tank with a district heating substation and a legionella protected water tank. Implement domestic hot water distribution. Go to domestic hot water >	Replace the gas or oil boiler and the old wa tank with a district heating substation. Upgrade the heating distribution and the domestic hot water production with a substation in each apartment, such as the Danfoss EvoFlat.
Potential energy savings	Balance the heating system. Go to hydronic balancing >	Balance the heating system. Go to hydronic balancing >	Go to domestic hot water > The integrated differential pressure contro valve on each Danfoss EvoFlat ensures the
	Potential energy savings	Implement smart building control for optimal energy savings. Go to Leanheat [®] >	system is automatically balanced in heating mode and during hot water tapping. Implement smart building control for optir energy savings.
		Potential energy savings	Go to Leanheat® >
	Fact block By implementing hydronic balancing and control you can ensure optimal distribution of heating, save energy,		Potential energy savings

_{୪۲۲} କୁନ୍ତି

Ê

P

Conversion to heat pump from a centralized heating system based on fossil fuels

Optimization projects vary in scope. That's why we've divided the options into different blocks – so you can upgrade the building depending on your needs, budget, and time frame.

Did you know?

Hydronic balancing gains importance with heat pumps, which have lower flow temperatures and increased flow rates. Proper balancing minimizes supply temperatures, improving the heat pump's efficiency each degree Celsius reduction in supply temperature translates to a 2% energy saving.

Learn more about hydronic balancing >

LIGHT UPGRADE	MEDIUM UPGRADE	MEDIUM+ UPGRADE	EXTENSIVE UPGRADE
Recalculate and recommission the hydronic distribution to adjust for flow changes from the new heat source. Go to hydronic balancing >	Replace the old domestic hot water tank with a legionella protected water tank. Implement domestic hot water balancing. Go to domestic hot water >	Replace the old domestic hot water tank with a legionella protected water tank. Implement domestic hot water balancing. Go to domestic hot water >	Upgrade the heating distribution and the domestic hot water production by installing a flat station in each apartment, such as the Danfoss EvoFlat.
Potential energy savings	Recalculate and recommission to adjust for flow changes from the new heat source. Go to hydronic balancing >	Recalculate and recommission to adjust for flow changes from the new heat source. Go to hydronic balancing >	The integrated differential pressure control valve on each Danfoss EvoFlat ensures the system is automatically balanced in heating mode and during hot water tapping.
	Potential energy savings	Implement smart building control for optimal energy savings. Go to Leanheat [®] >	Implement smart building control for optimal energy savings. Go to Leanheat [®] >
		Potential energy savings	Potential energy savings
Connect with us		AND AND AND	

_{୪۲۲} କୁନ୍ତି

P

٤. ۲

\bigcirc

Conversion to central heating from individual gas boilers

Optimization projects vary in scope. That's why we've divided the options into different blocks – so you can upgrade the building depending on your needs, budget, and time frame.

MEDIUM UPGRADE

Convert to a centralized heat source – either district energy network, heat pump, or hybrid system.

Replace the existing gas boilers in the apartments with a Danfoss EvoFlat RENO for both heating and domestic hot water supply.

Potential energy savings

Did you know?

Flat stations are decentralized heating systems installed in apartments to deliver immediate hot water and controlled heating via a plate heat exchanger and pressure independent control valve. This provides residents with comfortable heating and ondemand domestic hot water with the highest energy efficiency.

Learn more

Fact block

The Danfoss EvoFlat RENO allows for a direct 1:1 replacement of the existing boiler and offers hassle-free installation with its compatibility with existing secondary side connections.

End-to-end optimization for district energy and buildings

Danfoss Leanheat[®] offers an innovative suite of software solutions that empower the entire district energy value chain to optimize operational efficiency and achieve decarbonization goals while enhancing ease and comfort in everyday life.

Leanheat[®] Building's AI-based IoT solution monitors, controls, and optimizes indoor temperature and humidity in buildings, providing:

- Up to 10-20% savings on building energy costs while maintaining stable indoor conditions and shifting energy consumption to the most economical period.
- Potential savings of up to 30% in technical building maintenance costs, ensuring accurate preventive fault detection.
- A scalable and hardware-independent solution that seamlessly adapts to all building needs.



Read more here >


Solution 3

Balancing of domestic hot water systems and preventing legionella

The shift to decentralized domestic hot water systems is essential for health and cost savings. On-demand heating reduces legionella risks by eliminating stagnant water where bacteria can grow.

Additionally, with rising energy costs, decentralized systems offer significant savings by minimizing heat loss and energy waste, ensuring users benefit from both safe and economical hot water supply.

Balancing of domestic hot water systems



\bigcirc

Balancing of domestic hot water systems

Optimization projects vary in scope. That's why we've divided the options into different blocks – so you can upgrade the building depending on your needs, budget, and time frame.

Did you know?

With a Danfoss system you never have to worry about legionella. The centralized solution features multi-tank compatible heaters, circulation valves for temperature control, and systems that guarantee hygiene, comfort, and efficiency – even at peak times.

Learn more


LIGHT UPGRADE	MEDIUM UPGRADE	EXTENSIVE UPGRADE	
Perform thermal balancing of the domestic hot water circulation.	Replace the old domestic hot water tank with a legionella protected water tank.	Replace the old domestic hot water tank with a legionella protected water tank.	
Potential energy savings	Perform thermal balancing of the domestic hot water circulation.	Perform thermal balancing of the domestic hot water circulation	
	Potential energy savings	Add automatic disinfection and logging controller.	
		Potential energy savings	
f:;			0

Let's find the building blocks for **your optimization**

Whether you have inquiries about hydronic balancing, upgrade of the heating system, or need expert advice, we're here to assist you. Together, we find the right solution to fit your needs, timeframe, and investment level.

Connect with us - and let's build efficiency. Block by block.

Contact us here >



Danfoss can accept no responsibility for possible errors in catalogues, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without subsequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.