



NOZZLE DATA	SIZE
A1 FROM DRIVE	DN50
A2 TO DRIVE	DN50
B1 INLET CUSTOMER	DN50
B2 OUTLET CUSTOMER	DN50
E1 ELECTRICAL CONNECTION, Alternative 1	MC25
E2 ELECTRICAL CONNECTION, Alternative 2	MC25

Delivery includes flange connections to primary (2 pcs) and secondary (2 pcs) circuits. The directions of connections can be chosen according the installation.

REVISION HISTORY				
REV	DESCRIPTION	DATE	BY	APPROVED
a	Text added	24.05.2005	A-M. Haka	J-P. Sampola
b	Nozzle data added	01.09.2005	A-M. Haka	J-P. Sampola
c	Misc.	23.10.2006	A-M. Haka	J-P. Sampola
d	Misc.	27.08.2007	A-M. Haka	J-P. Sampola

*) NOTE:
See Retrofit assembly and dimensional drawing VL39-5003-07.

See Rittal openings drawing VL39-5003-06.

Part no.	Qty.	Part name, type and/or measures	Standard/Draw. no.	Material	Weight/pc
9	4	Washer A8,4	DIN 125	Zn	-
8	4	Hex nut M8	DIN 934	8 Zn	-
7	4	Hex-Head Bolt M8 x 18	DIN 933	8.8 Zn	-
6	8	Fastener	-	-	-
5	1	Multigate MC25	Mar-Con	-	-
4 *)	-	Retrofit Master Flash#1, 1/2"-4", Aztec Nordic	RF101B	Black EPDM	-
3	1	System window 500x470x33, Rittal	FT 2735.520	-	-
2	1	Cubicle TS8 800x2000x600	Rittal	-	-
1	1	HXM120	VL39-5033-01	-	-

GENERAL TOLERANCES ISO 2768-c		DRAWING NAME HXM120 RITTAL		CUSTOMER VACON OYJ	
DRAWING TYPE Assembly drawing		PROJECT NUMBER HXM-R-120-N-P		PROJECT NAME STD HX-unit	
DRAWING NO. M. Forsén		DATE 01.10.2004		RITL NO. VL39-5033-04	
SCALE 1:10		SIZE A1		REV. d	

These documents must not be copied without our written consent. If you have any questions, please contact us.