




CONTROL COMPARTMENT DOOR IS NOT SHOWN IN THE DRAWING FOR SHOWING INTERNAL COMPONENTS IN CONTROL COMPARTMENT UNIT ONLY CONTROL COMPARTMENT UNIT IS SHOWN FOR BETTER CLARITY

NOTE:
1. BACK CHANNEL COOLING: BOTTOM IN TOP OUT
2. CABLE FEED: BOTTOM ENTRY & BOTTOM OUT
3. PLINTH HEIGHT CAN BE OF 100, 200, & 400mm HEIG



⊕ CRITICAL CHARACTERISTICS
▽ KEY CHARACTERISTICS
○ INSPECTION
MUST COMPLY TO ROHS DIRECTIVE 2011/65/EU

INTERPRET DIM. & TOL. PER ASME Y14.5M-1994		THIRD ANGLE PROJECTION	SCALE	SIZE	MATERIAL
ALL DIMENSIONS ARE IN MILLIMETERS TOLERANCES UNLESS OTHERWISE SPECIFIED ±0.10 ±0.50 ±1.0			0.150	A1	
NOT VALID WITHOUT FROZEN DATE IN ID STAMP					
CHANGED	SABARISH	MAY-29-19			
DESIGNED	Loufi	OCT-17-18			
CHECKED					
CONFIDENTIAL - PROPERTY OF DANFOSS A/S NORBORG, DENMARK. NOT TO BE HANDED OVER TO BE COPIED OR BE USED BY A THIRD PARTY. TWO OR THREE DIMENSIONAL REPRODUCTION OF CONTENTS TO BE AUTHORIZED BY DANFOSS A/S.					
TERMINAL NUMBER	132R0284	REV	002		
WEEK	132R0284	SHEET	1 OF 3		

